## Nearly Tight Spectral Sparsification of Directed Hypergraphs

Thursday, July 13, 2023 10:55 AM (20 minutes)

Kazusato Oko, Shinsaku Sakaue and Shin-ichi Tanigawa

Abstract: Spectral hypergraph sparsification, an attempt to extend well-known spectral graph sparsification to hypergraphs, has been extensively studied over the past few years. For undirected hypergraphs, Kapralov, Krauthgamer, Tardos, and Yoshida~(2022) have proved an  $\varepsilon$ -spectral sparsifier of the optimal  $O^*(n)$  size, where n is the number of vertices and  $O^*$  suppresses the  $\varepsilon^{-1}$  and  $\log n$  factors. For directed hypergraphs, however, the optimal sparsifier size has not been known. Our main contribution is the first algorithm that constructs an  $O^*(n^2)$ -size  $\varepsilon$ -spectral sparsifier for a weighted directed hypergraph. Our result is optimal up to the  $\varepsilon^{-1}$  and  $\log n$  factors since there is a lower bound of  $\Omega(n^2)$  even for directed graphs. We also show the first non-trivial lower bound of  $\Omega(n^2/\varepsilon)$  for general directed hypergraphs. The basic idea of our algorithm is borrowed from the spanner-based sparsification for ordinary graphs by Koutis and Xu~(2016). Their iterative sampling approach is indeed useful for designing sparsification algorithms in various circumstances. To demonstrate this, we also present a similar iterative sampling algorithm for undirected hypergraphs that attains one of the best size bounds, enjoys parallel implementation, and can be transformed to be fault-tolerant.

Presenter: OKO, Kazusato

Session Classification: Track A-4