

Approximate Model Counting: Is SAT Oracle More Powerful than NP Oracle?

Friday, July 14, 2023 11:20 AM (20 minutes)

Diptarka Chakraborty, Sourav Chakraborty, Gunjan Kumar and Kuldeep Meel

Abstract: Given a Boolean formula ϕ over n variables, the problem of model counting is to compute the number of solutions of ϕ . Model counting is a fundamental problem in computer science with wide-ranging applications in domains such as quantified information leakage, probabilistic reasoning, network reliability, neural network verification, and more. Owing to the $\#\text{P}$ -hardness of the problems, Stockmeyer initiated the study of the complexity of approximate counting. Stockmeyer showed that $\log n$ calls to NP oracle are necessary and sufficient to achieve (ϵ, δ) guarantees. The hashing-based framework proposed by Stockmeyer has been very influential in designing practical counters over the past decade, wherein the NP oracle calls are substituted by the SAT solver in practice. It is well known that NP oracle does not fully capture the behavior of SAT solvers, as SAT solvers are also designed to provide satisfying assignments when a formula is satisfiable, without additional overhead. Accordingly, the notion of SAT oracle has been proposed to capture the behavior of SAT solver wherein given a Boolean formula, a SAT oracle returns a satisfying assignment if the formula is satisfiable or returns unsatisfiable otherwise. Since the practical state of the art approximate counting techniques use SAT solvers, a natural question is whether a SAT oracle is more powerful than NP oracle in the context of approximate model counting.

The primary contribution of this work is to study the relative power of NP oracle and SAT oracle in the context of approximate model counting. The previous techniques proposed in the context of NP oracle are weak to provide strong bounds in the context of SAT oracle since, in contrast to an NP oracle that provides only 1 bit of information, a SAT oracle can provide n bits of information. We, therefore, develop a new methodology to achieve the main result: a SAT oracle is no more powerful than NP oracle in the context of approximate model counting.

Presenters: CHAKRABORTY, Diptarka; KUMAR, Gunjan

Session Classification: Track B