

# Protecting Single-Hop Radio Networks from Message Drops

*Tuesday, July 11, 2023 11:20 AM (20 minutes)*

Dmitry Paramonov, Gillat Kol, Klim Efremenko and Raghuvansh R. Saxena

**Abstract:** Single-hop radio networks (SHRN) are a well studied abstraction of communication over a wireless channel. In this model, in every round, each of the  $n$  participating parties may decide to broadcast a message to all the others, potentially causing collisions. We consider the SHRN model in the presence of stochastic message drops (i.e., erasures), where in every round, the message received by each party is erased (replaced by  $\perp$ ) with some small constant probability, independently.

Our main result is a constant rate coding scheme, allowing one to run protocols designed to work over the (noiseless) SHRN model over the SHRN model with erasures. Our scheme converts any protocol  $\Pi$  of length at most exponential in  $n$  over the SHRN model to a protocol  $\Pi'$  that is resilient to constant fraction of erasures and has length linear in the length of  $\Pi$ .

We mention that for the special case where the protocol  $\Pi$  is non-adaptive, i.e., the order of communication is fixed in advance, such a scheme was known. Nevertheless, adaptivity is widely used and is known to hugely boost the power of wireless channels, which makes handling the general case of adaptive protocols  $\Pi$  both important and more challenging. Indeed, to the best of our knowledge, our result is the first constant rate scheme that converts adaptive protocols to noise resilient ones in any multi-party model.

**Presenter:** PARAMONOV, Dmitry

**Session Classification:** Track A-2